

# SAFETY DATA SHEET

In accordance with the Regulations on the content of the safety data sheet  
("Sl. glasnik RS", br. 11/24)



## Sikasil® WT-480 Part B

Revision Date 23.07.2025

Version 2.1

Print Date 16.12.2025

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Sikasil® WT-480 Part B

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Catalyst for 2 Comp. sealants/adhesives.

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier : Sika Srbija d.o.o.  
Patrijarha Pavla 1  
22310 Šimanovci  
Srbija  
Telephone : +381 22 21 55 777  
Telefax : +381 22 21 55 780  
E-mail address of person : ehs@rs.sika.com  
responsible for the SDS

#### 1.4 Emergency telephone number

National Toxicology Institute -  
+381 11 360 84 40 (toxicologist on duty - 0- 24h)

### SECTION 2: Hazards identification

Type of product : Mixture

#### 2.1 Classification of the substance or mixture

##### Classification (according to regulation governing the classification, packaging and labeling of chemicals)

|                                                                                  |                                                                                     |
|----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Skin irritation, Category 2                                                      | H315: Causes skin irritation.                                                       |
| Serious eye damage, Category 1                                                   | H318: Causes serious eye damage.                                                    |
| Skin sensitisation, Category 1                                                   | H317: May cause an allergic skin reaction.                                          |
| Specific target organ toxicity - single exposure, Category 3, Respiratory system | H335: May cause respiratory irritation.                                             |
| Specific target organ toxicity - repeated exposure, Category 2                   | H373: May cause damage to organs through prolonged or repeated exposure if inhaled. |

#### 2.2 Label elements

##### Labelling (according to regulation governing the classification, packaging and labeling of chemicals)

# SAFETY DATA SHEET

In accordance with the Regulations on the content of the safety data sheet  
("Sl. glasnik RS", br. 11/24)



## Sikasil® WT-480 Part B

Revision Date 23.07.2025

Version 2.1

Print Date 16.12.2025

|                          |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|--------------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Hazard pictograms        | : |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Signal word              | : | Danger                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Hazard statements        | : | <div><div>H315</div><div>H317</div><div>H318</div><div>H335</div><div>H373</div></div> <div><div>Causes skin irritation.</div><div>May cause an allergic skin reaction.</div><div>Causes serious eye damage.</div><div>May cause respiratory irritation.</div><div>May cause damage to organs through prolonged or repeated exposure if inhaled.</div></div>                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Precautionary statements | : | <div><div><b>Prevention:</b></div><div><div>P260</div><div>P264</div><div>P280</div></div><div><div>Do not breathe mist or vapours.</div><div>Wash skin thoroughly after handling.</div><div>Wear protective gloves/ eye protection/ face protection.</div></div></div> <div><div><b>Response:</b></div><div><div>P304 + P340 + P312</div><div>P305 + P351 + P338 + P310</div><div>P314</div></div><div><div>IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.</div><div>IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.</div><div>Get medical advice/ attention if you feel unwell.</div></div></div> |

Hazardous components which must be listed on the label:

tetraethyl silicate

N-[3-(triethoxysilyl)propyl]ethylenediamine

4,4,7,7-tetraethoxy-3,8-dioxo-4,7-disiladecane

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

None known.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

| Chemical name | CAS-No.<br>EC-No.<br>Registration number | Classification<br>(according to regulation governing the | Concentration<br>(% w/w) |
|---------------|------------------------------------------|----------------------------------------------------------|--------------------------|
|---------------|------------------------------------------|----------------------------------------------------------|--------------------------|

# SAFETY DATA SHEET

In accordance with the Regulations on the content of the safety data sheet  
("Sl. glasnik RS", br. 11/24)



## Sikasil® WT-480 Part B

Revision Date 23.07.2025

Version 2.1

Print Date 16.12.2025

|                                                                                                                                                                                                                                                                      |                                                  | classification,<br>packaging and<br>labeling of chemicals)                                                                                                                               |                |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| tetraethyl silicate                                                                                                                                                                                                                                                  | 78-10-4<br>201-083-8<br>01-2119496195-28-XXXX    | Flam. Liq. 3; H226<br>Acute Tox. 4; H332<br>Eye Irrit. 2; H319<br>STOT SE 3; H335                                                                                                        | >= 20 - < 25   |
| N-[3-(triethoxysilyl)propyl]ethylenediamine<br>Contains:<br>N,N'-bis[3-(triethoxysilyl)propyl]ethylenediamine<br>>= 3 - <= 5 %<br>N1,N1-Bis[3-(triethoxysilyl)propyl]-1,2-ethanediamine >= 3 - <= 5 %<br>di-aminoethylaminopropyltetraethoxydisiloxane >= 3 - <= 5 % | 5089-72-5<br>225-806-1<br>01-2120767929-30-XXXX  | Skin Irrit. 2; H315<br>Eye Dam. 1; H318<br>Skin Sens. 1; H317                                                                                                                            | >= 5 - < 10    |
| 4,4,7,7-tetraethoxy-3,8-dioxa-4,7-disiladecane                                                                                                                                                                                                                       | 16068-37-4<br>240-212-2<br>01-2120764364-51-XXXX | Acute Tox. 3; H301<br>Acute Tox. 4; H312<br>STOT RE 1; H372<br>Aquatic Chronic 3; H412                                                                                                   | >= 5 - < 10    |
| bis(ethyl acetoacetato-O1',O3)bis(2-methylpropan-1-olato)titanium<br>Contains:<br>2-methylpropan-1-ol <= 2 %                                                                                                                                                         | 83877-91-2<br>281-161-6<br>01-2119968551-31-XXXX | Flam. Liq. 3; H226<br>Skin Irrit. 2; H315<br>Eye Dam. 1; H318<br>STOT SE 3; H335<br>(Respiratory system)<br>STOT SE 3; H336<br>(Central nervous system)                                  | >= 5 - < 10    |
| 1,2-Bis(triethoxysilyl)ethene                                                                                                                                                                                                                                        | 87061-56-1<br>Not Assigned                       | Acute Tox. 3; H301<br>Acute Tox. 4; H312<br>Aquatic Chronic 3; H412                                                                                                                      | >= 1 - < 2,5   |
| Silicic acid (H4SiO4), tetraethyl ester, reaction products with bis(acetyloxy)dibutylstannane                                                                                                                                                                        | 93925-42-9<br>300-344-4<br>01-2119560586-30-XXXX | Flam. Liq. 3; H226<br>Acute Tox. 4; H302<br>Acute Tox. 4; H332<br>Eye Dam. 1; H318<br>Muta. 2; H341<br>Repr. 1B; H360FD<br>STOT SE 1; H370<br>STOT RE 1; H372<br>Aquatic Chronic 3; H412 | >= 0,3 - < 0,5 |

Remarks : Substances with a workplace exposure limit

For explanation of abbreviations see section 16.

# SAFETY DATA SHEET

In accordance with the Regulations on the content of the safety data sheet  
("Sl. glasnik RS", br. 11/24)



## Sikasil® WT-480 Part B

Revision Date 23.07.2025

Version 2.1

Print Date 16.12.2025

---

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- |                         |   |                                                                                                                                                                                                                                                                                                                 |
|-------------------------|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General advice          | : | Move out of dangerous area.<br>Consult a physician.<br>Show this safety data sheet to the doctor in attendance.                                                                                                                                                                                                 |
| If inhaled              | : | Move to fresh air.<br>Consult a physician after significant exposure.                                                                                                                                                                                                                                           |
| In case of skin contact | : | Take off contaminated clothing and shoes immediately.<br>Wash off with soap and plenty of water.<br>If symptoms persist, call a physician.                                                                                                                                                                      |
| In case of eye contact  | : | Small amounts splashed into eyes can cause irreversible tissue damage and blindness.<br>In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.<br>Continue rinsing eyes during transport to hospital.<br>Remove contact lenses.<br>Keep eye wide open while rinsing. |
| If swallowed            | : | Do not induce vomiting without medical advice.<br>Rinse mouth with water.<br>Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.                                                                                                                                 |

#### 4.2 Most important symptoms and effects, both acute and delayed

- |          |   |                                                                                                                                                                                                                                                                    |
|----------|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Symptoms | : | Cough<br>Respiratory disorder<br>Allergic reactions<br>Excessive lachrymation<br>Erythema<br>Dermatitis<br>See Section 11 for more detailed information on health effects and symptoms.                                                                            |
| Risks    | : | irritant effects<br>sensitising effects<br><br>Causes skin irritation.<br>May cause an allergic skin reaction.<br>Causes serious eye damage.<br>May cause respiratory irritation.<br>May cause damage to organs through prolonged or repeated exposure if inhaled. |

# SAFETY DATA SHEET

In accordance with the Regulations on the content of the safety data sheet  
("Sl. glasnik RS", br. 11/24)



## Sikasil® WT-480 Part B

Revision Date 23.07.2025

Version 2.1

Print Date 16.12.2025

---

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : In case of fire, use water/water spray/water jet/carbon dioxide/sand/foam/alcohol resistant foam/chemical powder for extinction.

### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products : No hazardous combustion products are known

### 5.3 Advice for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus for firefighters

Further information : Standard procedure for chemical fires.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Deny access to unprotected persons.

### 6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For personal protection see section 8.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Avoid exceeding the given occupational exposure limits (see section 8).

---

# SAFETY DATA SHEET

In accordance with the Regulations on the content of the safety data sheet  
("Sl. glasnik RS", br. 11/24)



## Sikasil® WT-480 Part B

Revision Date 23.07.2025

Version 2.1

Print Date 16.12.2025

Do not get in eyes, on skin, or on clothing.  
For personal protection see section 8.  
Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.  
Smoking, eating and drinking should be prohibited in the application area.  
Follow standard hygiene measures when handling chemical products

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.

Further information on storage stability : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

Specific use(s) : Consult most current local Product Data Sheet prior to any use.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

| Components                                                                                                           | CAS-No. | Value type (Form of exposure) | Control parameters            | Basis       |
|----------------------------------------------------------------------------------------------------------------------|---------|-------------------------------|-------------------------------|-------------|
| tetraethyl silicate                                                                                                  | 78-10-4 | TWA                           | 5 ppm<br>44 mg/m <sup>3</sup> | 2017/164/EU |
| Further information: Indicative                                                                                      |         |                               |                               |             |
|                                                                                                                      |         | GVI                           | 5 ppm<br>44 mg/m <sup>3</sup> | RS OEL      |
| Further information: Substance mentioned in indicative exposure limit values in Directive 2017/164/ EC (fourth list) |         |                               |                               |             |

### 8.2 Exposure controls

#### Engineering measures

Maintain air concentrations below occupational exposure standards.  
Ensure adequate ventilation, especially in confined areas.

# SAFETY DATA SHEET

In accordance with the Regulations on the content of the safety data sheet  
("Sl. glasnik RS", br. 11/24)



## Sikasil® WT-480 Part B

Revision Date 23.07.2025

Version 2.1

Print Date 16.12.2025

### Personal protective equipment

- |                          |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--------------------------|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Eye/face protection      | : | Safety glasses with side-shields conforming to EN166                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Hand protection          | : | Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.<br>Suitable for short time use or protection against splashes:<br>Butyl rubber/nitrile rubber gloves (> 0,1 mm)<br>Contaminated gloves should be removed.<br>Suitable for permanent exposure:<br>Viton gloves (0.4 mm),<br>breakthrough time >30 min.                                                                                                                                                                                                                                             |
| Skin and body protection | : | Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Respiratory protection   | : | In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.<br>organic vapor filter (Type A)<br>A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm<br>Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficient to keep the concentrations under the occupational exposure limits then respiration protection measures must be used. |

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- |                                       |   |                   |
|---------------------------------------|---|-------------------|
| Physical state                        | : | solid             |
| Form                                  | : | paste             |
| Colour                                | : | black, dark grey  |
| Odour                                 | : | very faint        |
| Melting point/ range / Freezing point | : | No data available |
| Boiling point/boiling range           | : | No data available |
| Flammability (solid, gas)             | : | No data available |

### Upper/lower flammability or explosive limits

- |                                                  |   |                   |
|--------------------------------------------------|---|-------------------|
| Upper explosion limit / Upper flammability limit | : | No data available |
|--------------------------------------------------|---|-------------------|

# SAFETY DATA SHEET

In accordance with the Regulations on the content of the safety data sheet  
("Sl. glasnik RS", br. 11/24)



## Sikasil® WT-480 Part B

Revision Date 23.07.2025

Version 2.1

Print Date 16.12.2025

Lower explosion limit /  
Lower flammability limit : No data available

Flash point : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : ca. 8 - 10  
Concentration: 100 %

### Viscosity

Viscosity, dynamic : ca. 500.000 mPa.s (20 °C)

Viscosity, kinematic : > 20,5 mm<sup>2</sup>/s (40 °C)

### Solubility(ies)

Water solubility : No data available

Partition coefficient: n-  
octanol/water : No data available

Vapour pressure : 0,01 hPa

Density : ca. 1,08 g/cm<sup>3</sup> (20 °C)

Relative vapour density : No data available

## 9.2 Other information

Flammable solids  
Burning rate : > 120 s  
Method: UN-Test N1

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

The product is chemically stable.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

### 10.4 Conditions to avoid

Conditions to avoid : No data available

# SAFETY DATA SHEET

In accordance with the Regulations on the content of the safety data sheet  
("Sl. glasnik RS", br. 11/24)



## Sikasil® WT-480 Part B

Revision Date 23.07.2025

Version 2.1

Print Date 16.12.2025

### 10.5 Incompatible materials

Materials to avoid : No data available

### 10.6 Hazardous decomposition products

Hazardous decomposition products : ethanol

---

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified due to lack of data.

#### Components:

##### **4,4,7,7-tetraethoxy-3,8-dioxo-4,7-disiladecane:**

Acute oral toxicity : LD50 Oral (Rat): 161 mg/kg

Acute toxicity estimate: 161 mg/kg  
Method: Calculation method

Acute dermal toxicity : LD50 Dermal (Rat): 1.971 mg/kg

Acute toxicity estimate: 1.971 mg/kg  
Method: Calculation method

##### **1,2-Bis(triethoxysilyl)ethene:**

Acute oral toxicity : LD50 Oral (Rat): 161 mg/kg

Acute toxicity estimate: 161 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity : LD50 Dermal (Rat): 1.971 mg/kg

Acute toxicity estimate: 1.971 mg/kg  
Method: Calculation method

##### **Silicic acid (H<sub>4</sub>SiO<sub>4</sub>), tetraethyl ester, reaction products with bis(acetyloxy)dibutylstannane:**

Acute oral toxicity : LD50 Oral (Rat): 1.000 mg/kg

Acute toxicity estimate: 1.000 mg/kg  
Method: Calculation method

# SAFETY DATA SHEET

In accordance with the Regulations on the content of the safety data sheet  
("Sl. glasnik RS", br. 11/24)



## Sikasil® WT-480 Part B

Revision Date 23.07.2025

Version 2.1

Print Date 16.12.2025

### **Skin corrosion/irritation**

Causes skin irritation.

### **Serious eye damage/eye irritation**

Causes serious eye damage.

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

May cause an allergic skin reaction.

#### **Respiratory sensitisation**

Not classified due to lack of data.

#### **Germ cell mutagenicity**

Not classified due to lack of data.

#### **Carcinogenicity**

Not classified due to lack of data.

#### **Reproductive toxicity**

Not classified due to lack of data.

#### **STOT - single exposure**

May cause respiratory irritation.

#### **STOT - repeated exposure**

May cause damage to organs through prolonged or repeated exposure if inhaled.

#### **Aspiration toxicity**

Not classified due to lack of data.

## **11.2 Information on other hazards**

### **Endocrine disrupting properties**

Not classified due to lack of data.

#### **Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to Article 43, Law on Chemicals of Republic of Serbia and REACH Article 57(f) at levels of 0.1% or higher.

# SAFETY DATA SHEET

In accordance with the Regulations on the content of the safety data sheet  
("Sl. glasnik RS", br. 11/24)



## Sikasil® WT-480 Part B

Revision Date 23.07.2025

Version 2.1

Print Date 16.12.2025

---

### SECTION 12: Ecological information

#### 12.1 Toxicity

##### Components:

##### **N-[3-(triethoxysilyl)propyl]ethylenediamine:**

Toxicity to fish (Chronic toxicity) : LC50: 597 mg/l  
Exposure time: 96 h  
Species: Danio rerio (zebra fish)

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

##### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### 12.6 Endocrine disrupting properties

##### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to Article 43, Law on Chemicals of Republic of Serbia and REACH Article 57(f) at levels of 0.1% or higher.

#### 12.7 Other adverse effects

##### Product:

Additional ecological information : There is no data available for this product.

# SAFETY DATA SHEET

In accordance with the Regulations on the content of the safety data sheet  
("Sl. glasnik RS", br. 11/24)



## Sikasil® WT-480 Part B

Revision Date 23.07.2025

Version 2.1

Print Date 16.12.2025

---

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product                  | : The generation of waste should be avoided or minimized wherever possible.<br>Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.<br>Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.<br>Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.<br>Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. |
| European Waste Catalogue | : 08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Contaminated packaging   | : 15 01 10* packaging containing residues of or contaminated by dangerous substances                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

---

### SECTION 14: Transport information

#### 14.1 UN number or ID number

|      |                                     |
|------|-------------------------------------|
| ADR  | : Not regulated as a dangerous good |
| IMDG | : Not regulated as a dangerous good |
| IATA | : Not regulated as a dangerous good |

#### 14.2 UN proper shipping name

|      |                                     |
|------|-------------------------------------|
| ADR  | : Not regulated as a dangerous good |
| IMDG | : Not regulated as a dangerous good |
| IATA | : Not regulated as a dangerous good |

#### 14.3 Transport hazard class(es)

|      |                                     |
|------|-------------------------------------|
| ADR  | : Not regulated as a dangerous good |
| IMDG | : Not regulated as a dangerous good |
| IATA | : Not regulated as a dangerous good |

#### 14.4 Packing group

|         |                                     |
|---------|-------------------------------------|
| ADR     | : Not regulated as a dangerous good |
| Remarks | : Not dangerous goods               |

# SAFETY DATA SHEET

In accordance with the Regulations on the content of the safety data sheet  
("Sl. glasnik RS", br. 11/24)



## Sikasil® WT-480 Part B

Revision Date 23.07.2025

Version 2.1

Print Date 16.12.2025

|                         |   |                                   |
|-------------------------|---|-----------------------------------|
| <b>IMDG</b>             | : | Not regulated as a dangerous good |
| Remarks                 | : | Not dangerous goods               |
| <b>IATA (Cargo)</b>     | : | Not regulated as a dangerous good |
| Remarks                 | : | Not dangerous goods               |
| <b>IATA (Passenger)</b> | : | Not regulated as a dangerous good |

### 14.5 Environmental hazards

Not regulated as a dangerous good

### 14.6 Special precautions for user

Not applicable

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

|                                                 |   |                |
|-------------------------------------------------|---|----------------|
| International Chemical Weapons Convention (CWC) | : | Not applicable |
| Schedules of Toxic Chemicals and Precursors     |   |                |

|                    |                                                |
|--------------------|------------------------------------------------|
| REACH Information: | All substances contained in our Products are   |
|                    | - registered by our upstream suppliers, and/or |
|                    | - registered by us, and/or                     |
|                    | - excluded from the regulation, and/or         |
|                    | - exempted from the registration.              |

|                                                                                                                                                                                          |   |                                                                                               |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|-----------------------------------------------------------------------------------------------|
| Rulebook on Bans and Restrictions of Production, Placing on the Market and Use of Chemicals (State Gazette, Nr. 90/2013, 25/2015, 2/2016, 44/2017, 36/2018, 9/2020, 57/2022 and 29/2024) | : | Conditions of restriction for the following entries should be considered:<br>Number on list 3 |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|-----------------------------------------------------------------------------------------------|

|                                                                                           |   |                                                                        |
|-------------------------------------------------------------------------------------------|---|------------------------------------------------------------------------|
| REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). | : | Number on list 75:<br>None of the components are listed<br>(=> 0.1 %). |
|-------------------------------------------------------------------------------------------|---|------------------------------------------------------------------------|

|                                                                 |   |                |
|-----------------------------------------------------------------|---|----------------|
| REACH - List of substances subject to authorisation (Annex XIV) | : | Not applicable |
|-----------------------------------------------------------------|---|----------------|

|                                                                        |   |                |
|------------------------------------------------------------------------|---|----------------|
| Regulation (EU) No 2024/590 on substances that deplete the ozone layer | : | Not applicable |
|------------------------------------------------------------------------|---|----------------|

|                                                                     |   |                |
|---------------------------------------------------------------------|---|----------------|
| Regulation (EU) 2019/1021 on persistent organic pollutants (recast) | : | Not applicable |
|---------------------------------------------------------------------|---|----------------|

|                                                        |   |                |
|--------------------------------------------------------|---|----------------|
| Regulation (EU) No 649/2012 of the European Parliament | : | Not applicable |
|--------------------------------------------------------|---|----------------|

# SAFETY DATA SHEET

In accordance with the Regulations on the content of the safety data sheet  
("Sl. glasnik RS", br. 11/24)



## Sikasil® WT-480 Part B

Revision Date 23.07.2025

Version 2.1

Print Date 16.12.2025

ment and the Council concerning the export and import  
of dangerous chemicals

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of  
major-accident hazards involving dangerous substances.

Not applicable

Volatile organic compounds : Law on the incentive tax for volatile organic compounds  
(VOCV)  
Volatile organic compounds (VOC) content: < 0,01% w/w  
no VOC duties

Directive 2010/75/EU of 24 November 2010 on industrial and  
livestock rearing emissions (integrated pollution prevention  
and control)

Volatile organic compounds (VOC) content: < 0,01% w/w

### Other regulations:

Rulebook on the content of a safety data sheet (Official Gazette No. 11/24).

Rulebook on classification, packaging, labeling and advertising of chemicals and products in  
accordance with UN Globally Harmonized System of Classification and Labelling ("State Gazz.  
RS", 105/13, 52/17, 21/19, 40/23).

Law on chemicals ("Off. gazette RS" No. 36/09, 88/10, 92/11, 93/12 and 25/15)

Law on waste management ("Off. Gazette RS" No. 36/09, 88/10, 14/16, 95/18 - other law,  
35/23).

Rulebook on categories, testing and classification of waste ("Off. gazette RS" No. 56/10, 93/19,  
39/21 and 65/24).

Rulebook on preventive measures for safe and healthy work during exposure to chemical sub-  
stances ("Off. gazette RS" No.106/09, 117/17 and 107/21)

### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

## SECTION 16: Other information

### Full text of H-Statements

|      |                                        |
|------|----------------------------------------|
| H226 | : Flammable liquid and vapour.         |
| H301 | : Toxic if swallowed.                  |
| H302 | : Harmful if swallowed.                |
| H312 | : Harmful in contact with skin.        |
| H315 | : Causes skin irritation.              |
| H317 | : May cause an allergic skin reaction. |
| H318 | : Causes serious eye damage.           |

# SAFETY DATA SHEET

In accordance with the Regulations on the content of the safety data sheet  
("Sl. glasnik RS", br. 11/24)



## Sikasil® WT-480 Part B

Revision Date 23.07.2025

Version 2.1

Print Date 16.12.2025

|        |                                                                                |
|--------|--------------------------------------------------------------------------------|
| H319   | : Causes serious eye irritation.                                               |
| H332   | : Harmful if inhaled.                                                          |
| H335   | : May cause respiratory irritation.                                            |
| H336   | : May cause drowsiness or dizziness.                                           |
| H341   | : Suspected of causing genetic defects.                                        |
| H360FD | : May damage fertility. May damage the unborn child.                           |
| H370   | : Causes damage to organs.                                                     |
| H372   | : Causes damage to organs through prolonged or repeated exposure if inhaled.   |
| H372   | : Causes damage to organs through prolonged or repeated exposure if swallowed. |
| H412   | : Harmful to aquatic life with long lasting effects.                           |

### Full text of other abbreviations

|                   |                                                                                                                                          |
|-------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| Acute Tox.        | : Acute toxicity                                                                                                                         |
| Aquatic Chronic   | : Long-term (chronic) aquatic hazard                                                                                                     |
| Eye Dam.          | : Serious eye damage                                                                                                                     |
| Eye Irrit.        | : Eye irritation                                                                                                                         |
| Flam. Liq.        | : Flammable liquids                                                                                                                      |
| Muta.             | : Germ cell mutagenicity                                                                                                                 |
| Repr.             | : Reproductive toxicity                                                                                                                  |
| Skin Irrit.       | : Skin irritation                                                                                                                        |
| Skin Sens.        | : Skin sensitisation                                                                                                                     |
| STOT RE           | : Specific target organ toxicity - repeated exposure                                                                                     |
| STOT SE           | : Specific target organ toxicity - single exposure                                                                                       |
| 2017/164/EU       | : Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values                   |
| RS OEL            | : Serbia. Occupational Exposure Limits to chemicals at working place (Annex 1)                                                           |
| 2017/164/EU / TWA | : Limit Value - eight hours                                                                                                              |
| RS OEL / GVI      | : occupational exposure limit                                                                                                            |
| ADR               | : European Agreement concerning the International Carriage of Dangerous Goods by Road                                                    |
| CAS               | : Chemical Abstracts Service                                                                                                             |
| DNEL              | : Derived no-effect level                                                                                                                |
| EC50              | : Half maximal effective concentration                                                                                                   |
| GHS               | : Globally Harmonized System                                                                                                             |
| IATA              | : International Air Transport Association                                                                                                |
| IMDG              | : International Maritime Code for Dangerous Goods                                                                                        |
| LD50              | : Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals) |
| LC50              | : Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)   |
| MARPOL            | : International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978                          |
| OEL               | : Occupational Exposure Limit                                                                                                            |
| PBT               | : Persistent, bioaccumulative and toxic                                                                                                  |
| PNEC              | : Predicted no effect concentration                                                                                                      |
| REACH             | : Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg-                     |

# SAFETY DATA SHEET

In accordance with the Regulations on the content of the safety data sheet  
("Sl. glasnik RS", br. 11/24)



## Sikasil® WT-480 Part B

Revision Date 23.07.2025

Version 2.1

Print Date 16.12.2025

|                                                                                           |   |                                                                                                                                                                                                                                                             |
|-------------------------------------------------------------------------------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                           |   | istration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency                                                                                                                                         |
| SVHC                                                                                      | : | Substances of Very High Concern                                                                                                                                                                                                                             |
| vPvB                                                                                      | : | Very persistent and very bioaccumulative                                                                                                                                                                                                                    |
| according to regulation governing the classification, packaging and labeling of chemicals | : | (REGULATION (EC) No 1272/2008); Rulebook on classification, packaging, labeling and advertising of chemicals and products in accordance with UN Globally Harmonized System of Classification and Labelling ("State Gazz. RS", 105/13, 52/17, 21/19, 40/23). |

### Further information

#### Classification of the mixture:

|               |      |
|---------------|------|
| Skin Irrit. 2 | H315 |
| Eye Dam. 1    | H318 |
| Skin Sens. 1  | H317 |
| STOT SE 3     | H335 |
| STOT RE 2     | H373 |

#### Classification procedure:

|                    |
|--------------------|
| Calculation method |
| Calculation method |
| Calculation method |
| Calculation method |
| Calculation method |

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

|| Changes as compared to previous version !

RS / EN