

# SAFETY DATA SHEET

In accordance with the Regulations on the content of the safety data sheet  
("Sl. glasnik RS", br. 11/24)



## Sikagard®-2406 Primer Part B

Revision Date 12.06.2025

Version 6.1

Print Date 16.12.2025

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Sikagard®-2406 Primer Part B

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Epoxy coating, Product is not intended for consumer use

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier : Sika Srbija d.o.o.  
Patrijarha Pavla 1  
22310 Šimanovci  
Srbija  
Telephone : +381 22 21 55 777  
Telefax : +381 22 21 55 780  
E-mail address of person responsible for the SDS : ehs@rs.sika.com

#### 1.4 Emergency telephone number

National Toxicology Institute -  
+381 11 360 84 40 (toxicologist on duty - 0- 24h)

### SECTION 2: Hazards identification

Type of product : Mixture

#### 2.1 Classification of the substance or mixture

##### Classification (according to regulation governing the classification, packaging and labeling of chemicals)

|                                                |                                                          |
|------------------------------------------------|----------------------------------------------------------|
| Acute toxicity, Category 4                     | H302: Harmful if swallowed.                              |
| Skin corrosion, Sub-category 1B                | H314: Causes severe skin burns and eye damage.           |
| Serious eye damage, Category 1                 | H318: Causes serious eye damage.                         |
| Skin sensitisation, Category 1                 | H317: May cause an allergic skin reaction.               |
| Long-term (chronic) aquatic hazard, Category 3 | H412: Harmful to aquatic life with long lasting effects. |

#### 2.2 Label elements

##### Labelling (according to regulation governing the classification, packaging and labeling of chemicals)

Hazard pictograms :



# SAFETY DATA SHEET

In accordance with the Regulations on the content of the safety data sheet  
("Sl. glasnik RS", br. 11/24)



## Sikagard®-2406 Primer Part B

Revision Date 12.06.2025

Version 6.1

Print Date 16.12.2025

|                          |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|--------------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Signal word              | : | Danger                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Hazard statements        | : | H302 Harmful if swallowed.<br>H314 Causes severe skin burns and eye damage.<br>H317 May cause an allergic skin reaction.<br>H412 Harmful to aquatic life with long lasting effects.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Precautionary statements | : | <b>Prevention:</b><br>P261 Avoid breathing mist or vapours.<br>P273 Avoid release to the environment.<br>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.<br><br><b>Response:</b><br>P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.<br>P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.<br>P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. |

Hazardous components which must be listed on the label:

benzyl alcohol

3-aminomethyl-3,5,5-trimethylcyclohexylamine

Amines, polyethylenepoly-, tetraethylenepentamine fraction

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

None known.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

| Chemical name | CAS-No.<br>EC-No.<br>Registration number | Classification<br>(according to regulation governing the classification, packaging and labeling of chemicals) | Concentration<br>(% w/w) |
|---------------|------------------------------------------|---------------------------------------------------------------------------------------------------------------|--------------------------|
|               |                                          |                                                                                                               |                          |

# SAFETY DATA SHEET

In accordance with the Regulations on the content of the safety data sheet  
("Sl. glasnik RS", br. 11/24)



## Sikagard®-2406 Primer Part B

Revision Date 12.06.2025

Version 6.1

Print Date 16.12.2025

|                                                                                                |                                                  |                                                                                                                                                |              |
|------------------------------------------------------------------------------------------------|--------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| benzyl alcohol                                                                                 | 100-51-6<br>202-859-9<br>01-2119492630-38-XXXX   | Acute Tox. 4; H302<br>Eye Irrit. 2; H319<br>Skin Sens. 1B;<br>H317                                                                             | >= 40 - < 60 |
| 3-aminomethyl-3,5,5-trimethylcyclohexylamine                                                   | 2855-13-2<br>220-666-8<br>01-2119514687-32-XXXX  | Acute Tox. 4; H302<br>Skin Corr. 1B;<br>H314<br>Eye Dam. 1; H318<br>Skin Sens. 1A;<br>H317                                                     | >= 25 - < 40 |
| Amines, polyethylenepoly-, tetra-ethylenepentamine fraction                                    | 90640-66-7<br>292-587-7<br>01-2119487290-37-XXXX | Acute Tox. 4; H302<br>Acute Tox. 4; H312<br>Skin Corr. 1B;<br>H314<br>Eye Dam. 1; H318<br>Skin Sens. 1B;<br>H317<br>Aquatic Chronic 2;<br>H411 | >= 10 - < 20 |
| 2,4,6-tris(dimethylaminomethyl)phenol<br>Contains:<br>bis[(dimethylamino)methyl]phenol <= 15 % | 90-72-2<br>202-013-9<br>01-2119560597-27-XXXX    | Acute Tox. 4; H302<br>Skin Irrit. 2; H315<br>Eye Irrit. 2; H319                                                                                | >= 5 - < 10  |

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- General advice : Move out of dangerous area.  
Consult a physician.  
Show this safety data sheet to the doctor in attendance.
- If inhaled : Move to fresh air.  
Consult a physician after significant exposure.
- In case of skin contact : Take off contaminated clothing and shoes immediately.  
Wash off with soap and plenty of water.  
Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.  
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Continue rinsing eyes during transport to hospital.  
Remove contact lenses.

# SAFETY DATA SHEET

In accordance with the Regulations on the content of the safety data sheet  
("Sl. glasnik RS", br. 11/24)



## Sikagard®-2406 Primer Part B

Revision Date 12.06.2025

Version 6.1

Print Date 16.12.2025

---

Keep eye wide open while rinsing.

If swallowed : Do not induce vomiting without medical advice.  
Rinse mouth with water.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Gastrointestinal discomfort  
Allergic reactions  
Dermatitis  
See Section 11 for more detailed information on health effects and symptoms.

Risks : Health injuries may be delayed.  
corrosive effects  
sensitising effects  
  
Harmful if swallowed.  
May cause an allergic skin reaction.  
Causes serious eye damage.  
Causes severe burns.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : In case of fire, use water/water spray/water jet/carbon dioxide/sand/foam/alcohol resistant foam/chemical powder for extinction.

### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products : No hazardous combustion products are known

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Standard procedure for chemical fires.

# SAFETY DATA SHEET

In accordance with the Regulations on the content of the safety data sheet  
("Sl. glasnik RS", br. 11/24)



## Sikagard®-2406 Primer Part B

Revision Date 12.06.2025

Version 6.1

Print Date 16.12.2025

---

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Deny access to unprotected persons.

#### 6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For personal protection see section 8.

---

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling : Avoid exceeding the given occupational exposure limits (see section 8).  
Do not get in eyes, on skin, or on clothing.  
For personal protection see section 8.  
Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.  
Smoking, eating and drinking should be prohibited in the application area.  
Follow standard hygiene measures when handling chemical products

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Store in accord-

# SAFETY DATA SHEET

In accordance with the Regulations on the content of the safety data sheet  
("Sl. glasnik RS", br. 11/24)



## Sikagard®-2406 Primer Part B

Revision Date 12.06.2025

Version 6.1

Print Date 16.12.2025

ance with local regulations.

Further information on storage stability : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

Specific use(s) : Consult most current local Product Data Sheet prior to any use.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Contains no substances with occupational exposure limit values.

### 8.2 Exposure controls

#### Engineering measures

Maintain air concentrations below occupational exposure standards.  
Ensure adequate ventilation, especially in confined areas.

#### Personal protective equipment

- |                          |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|--------------------------|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Eye/face protection      | : | Safety glasses with side-shields conforming to EN166<br>Eye wash bottle with pure water<br>Wear eye/face protection.                                                                                                                                                                                                                                                                                                                                    |
| Hand protection          | : | Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.<br>Suitable for short time use or protection against splashes:<br>Butyl rubber/nitrile rubber gloves (> 0,1 mm)<br>Contaminated gloves should be removed.<br>Suitable for permanent exposure:<br>Viton gloves (0.4 mm),<br>breakthrough time >30 min. |
| Skin and body protection | : | Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.                                                                                                                                                                                                                                               |
| Respiratory protection   | : | No special measures required.                                                                                                                                                                                                                                                                                                                                                                                                                           |

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- |                |   |              |
|----------------|---|--------------|
| Physical state | : | liquid       |
| Colour         | : | light yellow |

# SAFETY DATA SHEET

In accordance with the Regulations on the content of the safety data sheet  
("Sl. glasnik RS", br. 11/24)



## Sikagard®-2406 Primer Part B

Revision Date 12.06.2025

Version 6.1

Print Date 16.12.2025

|                                       |                     |
|---------------------------------------|---------------------|
| Odour                                 | : amine-like        |
| Melting point/ range / Freezing point | : No data available |
| Boiling point/boiling range           | : No data available |
| Flammability (solid, gas)             | : No data available |

### Upper/lower flammability or explosive limits

|                                                  |                                         |
|--------------------------------------------------|-----------------------------------------|
| Upper explosion limit / Upper flammability limit | : No data available                     |
| Lower explosion limit / Lower flammability limit | : No data available                     |
| Flash point                                      | : > 101 °C<br>Method: closed cup        |
| Auto-ignition temperature                        | : No data available                     |
| Decomposition temperature                        | : No data available                     |
| pH                                               | : ca. 11 (20 °C)<br>Concentration: 50 % |

### Viscosity

|                      |                                     |
|----------------------|-------------------------------------|
| Viscosity, dynamic   | : ca. 40 mPa.s (20 °C)              |
| Viscosity, kinematic | : > 20,5 mm <sup>2</sup> /s (40 °C) |

### Solubility(ies)

|                                        |                                      |
|----------------------------------------|--------------------------------------|
| Water solubility                       | : insoluble                          |
| Partition coefficient: n-octanol/water | : No data available                  |
| Vapour pressure                        | : 0,07 hPa                           |
| Density                                | : ca. 0,99 g/cm <sup>3</sup> (20 °C) |
| Relative vapour density                | : No data available                  |

## 9.2 Other information

No data available

# SAFETY DATA SHEET

In accordance with the Regulations on the content of the safety data sheet  
("Sl. glasnik RS", br. 11/24)



## Sikagard®-2406 Primer Part B

Revision Date 12.06.2025

Version 6.1

Print Date 16.12.2025

---

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

The product is chemically stable.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

#### 10.4 Conditions to avoid

Conditions to avoid : No data available

#### 10.5 Incompatible materials

Materials to avoid : No data available

#### 10.6 Hazardous decomposition products

:  
No hazardous decomposition products are known.

---

### SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### Acute toxicity

Harmful if swallowed.

##### Components:

##### **benzyl alcohol:**

Acute oral toxicity : Acute toxicity estimate: 1.200 mg/kg  
Method: Acute toxicity estimate according to Regulation (EC)  
No. 1272/2008

LD50 Oral (Rat): 1.200 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4,178 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

##### **3-aminomethyl-3,5,5-trimethylcyclohexylamine:**

Acute oral toxicity : Acute toxicity estimate: 1.030 mg/kg  
Method: Acute toxicity estimate according to Regulation (EC)  
No. 1272/2008



# SAFETY DATA SHEET

In accordance with the Regulations on the content of the safety data sheet  
("Sl. glasnik RS", br. 11/24)



## Sikagard®-2406 Primer Part B

Revision Date 12.06.2025

Version 6.1

Print Date 16.12.2025

LD50 Oral (Rat): 1.030 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 Dermal (Rabbit): > 2.000 mg/kg  
LD50 (Rabbit): > 2.000 - 5.000 mg/kg

### Amines, polyethylenepoly-, tetraethylenepentamine fraction:

Acute oral toxicity : LD50 Oral (Rat): 1.716 mg/kg  
Acute toxicity estimate: 1.716 mg/kg  
Method: Calculation method

Acute dermal toxicity : LD50 Dermal (Rat): 1.465 mg/kg  
Acute toxicity estimate: 1.465 mg/kg  
Method: Calculation method

### 2,4,6-tris(dimethylaminomethyl)phenol:

Acute oral toxicity : LD50 (Rat): > 1.999 mg/kg  
Remarks: Harmful if swallowed.  
Annex VI - Harmonised  
REGULATION (EC) No 1272/2008

### Skin corrosion/irritation

Causes severe burns.

#### Components:

### 2,4,6-tris(dimethylaminomethyl)phenol:

Species : Rabbit  
Assessment : Corrosive  
Method : OECD Test Guideline 404

Assessment : irritating  
Remarks : Annex VI - Harmonised  
REGULATION (EC) No 1272/2008

### Serious eye damage/eye irritation

Causes serious eye damage.

#### Components:

### 2,4,6-tris(dimethylaminomethyl)phenol:

Species : Rabbit

# SAFETY DATA SHEET

In accordance with the Regulations on the content of the safety data sheet  
("Sl. glasnik RS", br. 11/24)



## Sikagard®-2406 Primer Part B

Revision Date 12.06.2025

Version 6.1

Print Date 16.12.2025

Assessment : Causes serious eye damage.  
Assessment : irritating  
Remarks : Annex VI - Harmonised  
REGULATION (EC) No 1272/2008

### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

#### Respiratory sensitisation

Not classified due to lack of data.

#### Germ cell mutagenicity

Not classified due to lack of data.

#### Carcinogenicity

Not classified due to lack of data.

#### Reproductive toxicity

Not classified due to lack of data.

#### STOT - single exposure

Not classified due to lack of data.

#### STOT - repeated exposure

Not classified due to lack of data.

#### Aspiration toxicity

Not classified due to lack of data.

### 11.2 Information on other hazards

#### Endocrine disrupting properties

Not classified due to lack of data.

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to Article 43, Law on Chemicals of Republic of Serbia and REACH Article 57(f) at levels of 0.1% or higher.

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

# SAFETY DATA SHEET

In accordance with the Regulations on the content of the safety data sheet  
("Sl. glasnik RS", br. 11/24)



## Sikagard®-2406 Primer Part B

Revision Date 12.06.2025

Version 6.1

Print Date 16.12.2025

levels of 0.1% or higher.

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to Article 43, Law on Chemicals of Republic of Serbia and REACH Article 57(f) at levels of 0.1% or higher.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

##### **benzyl alcohol:**

Toxicity to fish : LC50 (Fish): > 100 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
aquatic invertebrates Exposure time: 48 h

##### **3-aminomethyl-3,5,5-trimethylcyclohexylamine:**

Toxicity to algae/aquatic : ErC50 (Desmodesmus subspicatus (green algae)): > 10 - 100  
plants mg/l  
Exposure time: 72 h

NOEC (Desmodesmus subspicatus (green algae)): 1,5 mg/l  
Exposure time: 72 h

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### 12.6 Endocrine disrupting properties

#### Product:

# SAFETY DATA SHEET

In accordance with the Regulations on the content of the safety data sheet  
("Sl. glasnik RS", br. 11/24)



## Sikagard®-2406 Primer Part B

Revision Date 12.06.2025

Version 6.1

Print Date 16.12.2025

|            |                                                                                                                                                                                                                                                               |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Assessment | : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. |
| Assessment | : The substance/mixture does not contain components considered to have endocrine disrupting properties according to Article 43, Law on Chemicals of Republic of Serbia and REACH Article 57(f) at levels of 0.1% or higher.                                   |
| Assessment | : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. |
| Assessment | : The substance/mixture does not contain components considered to have endocrine disrupting properties according to Article 43, Law on Chemicals of Republic of Serbia and REACH Article 57(f) at levels of 0.1% or higher.                                   |

### 12.7 Other adverse effects

#### **Product:**

|                                   |                                                                                                                                                         |
|-----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| Additional ecological information | : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.<br>Harmful to aquatic life with long lasting effects. |
|-----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product                  | : The generation of waste should be avoided or minimized wherever possible.<br>Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.<br>Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.<br>Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.<br>Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. |
| European Waste Catalogue | : 08 01 11* waste paint and varnish containing organic solvents or other dangerous substances                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

# SAFETY DATA SHEET

In accordance with the Regulations on the content of the safety data sheet  
("Sl. glasnik RS", br. 11/24)



## Sikagard®-2406 Primer Part B

Revision Date 12.06.2025

Version 6.1

Print Date 16.12.2025

Contaminated packaging : 15 01 10\* packaging containing residues of or contaminated by dangerous substances

### SECTION 14: Transport information

#### 14.1 UN number or ID number

ADR : UN 2735  
IMDG : UN 2735  
IATA : UN 2735

#### 14.2 UN proper shipping name

ADR : AMINES, LIQUID, CORROSIVE, N.O.S.  
(3-aminomethyl-3,5,5-trimethylcyclohexylamine, Amines, polyethylenepoly-, tetraethylenepentamine fraction)  
IMDG : AMINES, LIQUID, CORROSIVE, N.O.S.  
(3-aminomethyl-3,5,5-trimethylcyclohexylamine, Amines, polyethylenepoly-, tetraethylenepentamine fraction)  
IATA : Amines, liquid, corrosive, n.o.s.  
(3-aminomethyl-3,5,5-trimethylcyclohexylamine, Amines, polyethylenepoly-, tetraethylenepentamine fraction)

#### 14.3 Transport hazard class(es)

|      | Class | Subsidiary risks |
|------|-------|------------------|
| ADR  | : 8   |                  |
| IMDG | : 8   |                  |
| IATA | : 8   |                  |

#### 14.4 Packing group

ADR  
Packing group : III  
Classification Code : C7  
Hazard Identification Number : 80  
Labels : 8  
Tunnel restriction code : (E)  
IMDG  
Packing group : III  
Labels : 8  
EmS Code : F-A, S-B  
IATA (Cargo)  
Packing instruction (cargo aircraft) : 856  
Packing instruction (LQ) : Y841  
Packing group : III

# SAFETY DATA SHEET

In accordance with the Regulations on the content of the safety data sheet  
("Sl. glasnik RS", br. 11/24)



## Sikagard®-2406 Primer Part B

Revision Date 12.06.2025

Version 6.1

Print Date 16.12.2025

Labels : Corrosive

### IATA (Passenger)

Packing instruction (passenger aircraft) : 852

Packing instruction (LQ) : Y841

Packing group : III

Labels : Corrosive

### 14.5 Environmental hazards

#### ADR

Environmentally hazardous : no

#### IMDG

Marine pollutant : no

### IATA (Passenger)

Environmentally hazardous : no

### IATA (Cargo)

Environmentally hazardous : no

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable  
Schedules of Toxic Chemicals and Precursors

REACH Information: All substances contained in our Products are  
- registered by our upstream suppliers, and/or  
- registered by us, and/or  
- excluded from the regulation, and/or  
- exempted from the registration.

Rule book on Bans and Restrictions of Production, Placing on the Market and Use of Chemicals (State Gazette, Nr. 90/2013, 25/2015, 2/2016, 44/2017, 36/2018, 9/2020, 57/2022 and 29/2024) : Conditions of restriction for the following entries should be considered:  
Number on list 3

REACH - Candidate List of Substances of Very High : Number on list 75:  
None of the components are listed

# SAFETY DATA SHEET

In accordance with the Regulations on the content of the safety data sheet  
("Sl. glasnik RS", br. 11/24)



## Sikagard®-2406 Primer Part B

Revision Date 12.06.2025

Version 6.1

Print Date 16.12.2025

|                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                        |
|---------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Concern for Authorisation (Article 59).                                                                                                                 | (=> 0.1 %).                                                                                                                                                                                                                                                                                                            |
| REACH - List of substances subject to authorisation (Annex XIV)                                                                                         | : Not applicable                                                                                                                                                                                                                                                                                                       |
| Regulation (EU) No 2024/590 on substances that deplete the ozone layer                                                                                  | : Not applicable                                                                                                                                                                                                                                                                                                       |
| Regulation (EU) 2019/1021 on persistent organic pollutants (recast)                                                                                     | : Not applicable                                                                                                                                                                                                                                                                                                       |
| Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals                          | : Not applicable                                                                                                                                                                                                                                                                                                       |
| Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. | Not applicable                                                                                                                                                                                                                                                                                                         |
| Volatile organic compounds                                                                                                                              | : Law on the incentive tax for volatile organic compounds (VOCV)<br>Volatile organic compounds (VOC) content: 48% w/w<br><br>Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control)<br>Volatile organic compounds (VOC) content: 48% w/w |

### Other regulations:

Rulebook on the content of a safety data sheet (Official Gazette No. 11/24).

Rulebook on classification, packaging, labeling and advertising of chemicals and products in accordance with UN Globally Harmonized System of Classification and Labelling ("State Gazz. RS", 105/2013, 52/2017, 21/2019, 40/2023).

Law on chemicals ("Off. gazette RS" No. 36/09, 88/10, 92/11, 93/12 and 25/15)

Law on waste management ("Off. Gazette RS" No. 36/09, 88/10, 14/16, 95/18 - other law, 35/2023)

Rulebook on categories, testing and classification of waste ("Off. gazette RS" No. 56/10, 93/19 and 39/21)

### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

# SAFETY DATA SHEET

In accordance with the Regulations on the content of the safety data sheet  
("Sl. glasnik RS", br. 11/24)



## Sikagard®-2406 Primer Part B

Revision Date 12.06.2025

Version 6.1

Print Date 16.12.2025

### SECTION 16: Other information

#### Full text of H-Statements

|      |                                                    |
|------|----------------------------------------------------|
| H302 | : Harmful if swallowed.                            |
| H312 | : Harmful in contact with skin.                    |
| H314 | : Causes severe skin burns and eye damage.         |
| H315 | : Causes skin irritation.                          |
| H317 | : May cause an allergic skin reaction.             |
| H318 | : Causes serious eye damage.                       |
| H319 | : Causes serious eye irritation.                   |
| H411 | : Toxic to aquatic life with long lasting effects. |

#### Full text of other abbreviations

|                                                                                 |                                                                                                                                                                                                                                        |
|---------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Acute Tox.                                                                      | : Acute toxicity                                                                                                                                                                                                                       |
| Aquatic Chronic                                                                 | : Long-term (chronic) aquatic hazard                                                                                                                                                                                                   |
| Eye Dam.                                                                        | : Serious eye damage                                                                                                                                                                                                                   |
| Eye Irrit.                                                                      | : Eye irritation                                                                                                                                                                                                                       |
| Skin Corr.                                                                      | : Skin corrosion                                                                                                                                                                                                                       |
| Skin Irrit.                                                                     | : Skin irritation                                                                                                                                                                                                                      |
| Skin Sens.                                                                      | : Skin sensitisation                                                                                                                                                                                                                   |
| ADR                                                                             | : European Agreement concerning the International Carriage of Dangerous Goods by Road                                                                                                                                                  |
| CAS                                                                             | : Chemical Abstracts Service                                                                                                                                                                                                           |
| DNEL                                                                            | : Derived no-effect level                                                                                                                                                                                                              |
| EC50                                                                            | : Half maximal effective concentration                                                                                                                                                                                                 |
| GHS                                                                             | : Globally Harmonized System                                                                                                                                                                                                           |
| IATA                                                                            | : International Air Transport Association                                                                                                                                                                                              |
| IMDG                                                                            | : International Maritime Code for Dangerous Goods                                                                                                                                                                                      |
| LD50                                                                            | : Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)                                                                                               |
| LC50                                                                            | : Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)                                                                                                 |
| MARPOL                                                                          | : International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978                                                                                                                        |
| OEL                                                                             | : Occupational Exposure Limit                                                                                                                                                                                                          |
| PBT                                                                             | : Persistent, bioaccumulative and toxic                                                                                                                                                                                                |
| PNEC                                                                            | : Predicted no effect concentration                                                                                                                                                                                                    |
| REACH                                                                           | : Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency |
| SVHC                                                                            | : Substances of Very High Concern                                                                                                                                                                                                      |
| vPvB                                                                            | : Very persistent and very bioaccumulative                                                                                                                                                                                             |
| according to regulation governing the classification, packaging and labeling of | : (REGULATION (EC) No 1272/2008); Rulebook on classification, packaging, labeling and advertising of chemicals and products in accordance with UN Globally Harmonized System                                                           |



# SAFETY DATA SHEET

In accordance with the Regulations on the content of the safety data sheet  
("Sl. glasnik RS", br. 11/24)



## Sikagard®-2406 Primer Part B

Revision Date 12.06.2025

Version 6.1

Print Date 16.12.2025

chemicals

of Classification and Labelling ("State Gazz. RS", 105/2013, 52/2017, 21/2019, 40/2023).

### Further information

#### Classification of the mixture:

|                   |      |
|-------------------|------|
| Acute Tox. 4      | H302 |
| Skin Corr. 1B     | H314 |
| Eye Dam. 1        | H318 |
| Skin Sens. 1      | H317 |
| Aquatic Chronic 3 | H412 |

#### Classification procedure:

|                    |
|--------------------|
| Calculation method |
| Calculation method |
| Calculation method |
| Calculation method |
| Calculation method |

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.



Changes as compared to previous version !

RS / EN